





AMBIENT TEMPERATURE

AROMATIZED WATERS DRINKS JUICES

**ENERGY DRINKS** 



0

PLUS

# **LEDA DRINK**

### **GREEN WATER AT KM 0**

### ✓ INNOVATIVE

The new OZONE sanitization systems and UVC lamp make mains water more pleasant

### ✓ ECO-SUSTAINABLE

Water Km 0 means: less air pollution, less CO2 emissions, and less plastic production. The bag in box is a packaging that guarantees a high degree of hygiene and respect for the environment in the disposal. Lighting a Led.

### ✓ QUALITY'


•

•

- SINGLE automatic vending machine with sanitizing process of the product pick-up area and the whole interior.
- SINGLE with bottle / container sanitization process (PATENTED)
- Always fresh water, not permanent for a long time in the plastic, great to drink .

#### ✓ MASTER/SLAVE MODEL

- Master version distributor.
- Master slave wiring for payment system applied to another vending machine.
- Slave wiring for payment system applied to NOVA distributor.



Via dell'Artigianato, 313 - 37056 Salizzole (VR) ITALY 0039.045.710.39.32 - Fax 0039.045.690.07.39 Tel. E-mail: info@nova-da.it -

www.nova-da.it



# **LEDA DRINK**

# **TECHNICAL FEATURES**

**LEDA DRINK** is the ONLY vending machine with the "SYSTEM GAS WATER" patent to perform the **BOTTLE** sanitization procedure, zone **BOX** positioning bottle and all its interior. Easily connects to the water supply, is able to deliver four at any time different types of juices / supplements or other products in bag in box and fresh water, reducing waste, promoting ECO-SUSTAINABLE behaviors, reducing management costs and having a very low environmental impact.

PRODUCTS: 9 SELECTIONS 60: glass 0,20 water bottles lt, 0,50lt, 0,75lt, 1lt COLD NATURAL WATER COLD WATER WITH GAS COLD WATER WITH LITTLE GAS NATURAL WATER AMBIENT TEMPERATURE WATETR AROMATISED DRINKS JUICE BOTTLE SANITIZATION

**Display: Touch screen 8**" which can provide all information regarding the use of the distributor.

If there is an internet connection at the rental location or is applied a modem, the distributor can be constantly monitored remotely .

# MACHINE MANAGEMENT

Sanitization of the product withdrawal area through OZONE Sanitization of the entire inside of the machine using OZONE

Sanitization bottle through ozonated water process (PATENTED system)

Powder activated carbon filter (PAC) capable of retaining all impurities up to 0.5 microns in size, eliminatingall odors and flavors such as those of dissolved chlorine, asbestos fibers and some microorganisms such as "cryptosporidium"

Sterilization of water using a new generation UV-C lamp

Destroys bacteria on the water spout

Alarms: flooding, waste liquid level

Programming of liters of water filter

Water filter replacement signal

Payment system: Parallel 12 or 24 V, Serial with protocol Executive, MDB, Master and Slave

## **TECHNICAL DATA**

Water production 40 l / h - Ice bank Dimensions: height 183 cm, width 54,5 cm, depth 63 cm Weight: 80 kg Voltage: 230V – 50Hz Refrigerant system: Ecological Gas R 134A Water mains pressure: between 2 to 3.5 Bar (attack JG 8)

# ACCESSORIES

Cylinder Co2 Kit exchange cylinder CO2 Hot water kit anti-flood kit



