

MORE SUSTAINABILITY AND ELEGANCE

Q3 Top is the professional above-thecounter solution. Elegant design and fine finishes make it perfect for your room and your office. It allows you to quickly dispense microfiltered water at cold, cold sparkling and even hot room temperature. It is available in different colors and finishes.







We are an innovative company that pays attention to sustainability. We address those who consider water a precious resource, which should not be wasted but enhanced.

Q3 EASY

MICROFILTERED WATER



♠ Cold

MICROFILTERED WATER

Q3 TOP BUBBL

Ambient

⚠ Cold

6 Cold sparkling

2 VERSIONS









Black Precoated metal






Sottobanco Precoated meta sheet

ELEGANT DESIGN AND PROFESSIONAL PERFORMANCE

One of a kind, Q3 Top represents the perfect harmony between elegance and professional performance: front panel in white or black tempered glass, or in satin aluminum for an exclusive visual effect: backlit buttons. stainless steel head and excellent performance make the product ideal for customers who pay attention not only to technique but also to design. With Q3 Top you will always have cold and well-carbonated water dispensed and you will be able to fill the bottles quickly.



Q3 Top guarantees maximum levels of hygiene and safety, in compliance with the strictest international standards. The internal components in direct contact with water are located in a protected space and are made entirely of stainless steel in order to guarantee maximum quality







INSTALLATION AND SIMPLICITY

QI Top takes up very little space and is silent. Installation is simple and performance guaranteed.

A CUSTOMIZABLE SYSTEM THAT MEETS EVERY NEED

With Q1 Under you can choose the tap that best suits your needs




TAPS

Three different designs for 3 and 5 way sink mixers. For ambient, cold and cold sparkling filtered water Tap water mixer.





DATA SHEE

Dimensions	300 (L) x 504 (P) x 450 (H)	
Technology	Ice bank	
Ice bank	7 L capacity	
Types of water	Ambient, chilled, sparkling, Not	
Test conditions	20°C incoming water and 25°C room temperatu	re
Performance	60 L per hour; 20 L continuously < 12°C	
Boiler	1 L, 1200 W - temperature 98° C	
Usage recommendation	Home, Small Office, bar: 50-100 people	
Carbonator	Stainless steel carbonator , 1 L capacity	
Carbonation Pump	Membrane pump	
Refrigeration gas	R 290	
Compressor	1/7 HP - 220/230 V 50 Hz	
Thermostat	Mechanical	
Condensation	Dynamic ventilation	
Coils	8 mm stainless steel	
Ø Water inlet	8 mm	
Ø C02 Inlet	8 mm	l.
Ø Fill Ice bank	8 mm	
Water inlet pressure	not over 3 bar - recommended reducer	
CO2 inlet pressure	Ideal pressure: in between 3,5 - 4,5 bar	
Finish	Housing skinplate, front glass or glazed aluminu	m
Power Supply	230 V - 50 Hz	
Weight	28 Kg	
Flow regulator	Included (into the unit)	
Filtration	Not included	
Water pressure reducers	Not included	
CO2 pressure reducers	Not included	
SHIPPING DETAIL Max qty for pallet	21 units	
Pallet dimension	Epal 1200 x 800 mm	



SIDE VIEW





NOVA DISTRIBUTORI AUTOMATICI S.R.L. Via dell'Artigianato, 313 – 37056 Salizzole / Verona / Italy Tel. 0039.045.7103932 int. 1 - Fax 0039.045.6900739 f.guarneri@nova-da.it - info@nova-da.it - http://www.nova-da.it